ID-REX Polyvalent high discs pruner














Polyvalent high discs pruner. Ideal for lateral and toping pruning in traditional and intensive plantations of fruit trees.



🔆 Versatility

- Different models of discs to guarantee quality and cutting power adapted to each type and intensity of pruning.
- The ID-CONTROL joystick allows to control all the machines manufactured by ID David and equipped with the ID-PLUS or ID-MICRO technology.
- Models adjustable to any kind of plantation system.

🕘 Reliability

- Components and materials of high quality.
- Low maintenance. No lubrication in its
- essential parts.
- Manufacturing experience since 1983.

😥 Exclusivity

- The first and unique range of pruners in the world equipping each disc with independent hydraulic motors since 2001.
 Hydraulic parallelogram system for a
- quick and easy positioning of the cutting bar.
- Electronic indication for RPM of cutting disc (optional).

🕑 Safety

- Anti-shock safety system.
- Motors with safety valve and automatic reset in case of a shut down.
- Great vision during working phase.

🖗 Effectiveness

- Electrohydraulic system optmized for extremely low power consumption.
- Correct evacuation of the remains of the pruning.
- High cutting capacity up to 20 cm.

Sustainability

- Our painting is lead-free and without toxic pigments.
- The low power required allows the use of small tractors with a lower carbon footprint.
- Sustainable consumption: Equipment designed to be up-to-date and have a long service life.

Standard Equipment

- 1 Motor + safety valve on each disc.
- Hydraulic lifting.
- Hydraulic sideshift.
- Hydraulic positioning of the cutting bar.
- Hydraulic inclination.
- Hardened steel 86 teeth-disc.

Remote control type

ID-PLUS

- Includes ID-CONTROL multifunction joystick.
- Includes an electronic microcontroller: allows software updates at any time.
- Max 1 additional electro-hydraulic function.
- Includes a modular electro-hydraulic system: it allows to increase the number of electro-hydraulic functions.

- Progressive starting of motors.
- Safety system with automatic reset.
- Includes a PRO hydraulic unit with cooler and quick couplings.
- Storage foot.
- Adaptable standard plate to tractor (frontal).
- Lateral support rods.

ID-MICRO


- ! NOT included the ID-CONTROL multifunction joystick.
- Only for customers who already have the ID-CONTROL multifunction joystick.
- Includes an electronic microcontroller: allows software updates at any time.
- Max 1 additional electro-hydraulic function.
- Includes a modular electro-hydraulic system: it allows to increase the number of electro-hydraulic functions.


	ID-PLUS			X1]
ID-REX	REF.	REF.	N° DISCS	A (m)	X1 (m)	
	V1-SHD-5D-1	V1-SHD-5D-2	5 Ø600 mm	2,75	0,70-4,05	
	V1-SHD-6D-1	V1-SHD-6D-2	6 Ø600 mm	3,25	0,70-4,03	
	V1-MHD-5D-1	V1-MHD-5D-2	5 Ø600 mm	2,75	1,00-4,70	
	V1-MHD-6D-1	V1-MHD-6D-2	6 Ø600 mm	3,25	1,00-4,70	
CUT, DISPLACEMENT, LIFT, PARALLELOGRAM LIFT OF MODULE, MODULE TILT	V1-HD-5D-1	V1-HD-5D-2	5 Ø600 mm	2,75	1,40-5,10	
	V1-HD-6D-1	V1-HD-6D-2	6 Ø600 mm	3,25	1,40-3,10	





Technical details

		X1	Y1	X2 (Max)	Y2	X3 (Min)	А		50	L	w	н
	REF.	m	m	m	m	m	m	kg	HP	m	m	m
ID-REX	V1-SHD-5D	0,70-4,05	2,00-4,40	6,20	0,60-2,20	0,30	2,75	800	90	1,75	1,50	3,00
	V1-SHD-6D	0,70-4,05	2,50-4,90	6,70	0,60-2,20	0,30	3,25	830	100	1,75	1,50	3,50
	V1-MHD-5D	1,00-4,70	2,00-4,40	6,85	0,60-2,60	0,50	2,75	825	90	1,75	1,50	3,40
	V1-MHD-6D	1,00-4,70	2,50-4,90	7,35	0,60-2,60	0,50	3,25	855	100	1,75	1,50	3,90
	V1-HD-5D	1,40-5,10	2,00-4,40	7,25	0,60-2,60	0,90	2,75	840	90	1,75	1,50	3,80
	V1-HD-6D	1,40-5,10	2,50-4,90	7,75	0,60-2,60	0,90	3,25	870	100	1,75	1,50	4,30









Tractor mounting





Prepruner Accessories and Options

0	DESCRIPTION	OBSERVATIONS	REF.	
	Cutting disc type HOZ: specific for almond trees		(1,5 cm)	D-Z2H-R
	Knife discs for green branches with suction system	Right	(1,5 cm)	D-Z4-D
	Hardened steel 150 teeth-disc	Thin branches or fibrous mater	rials 3 cm	D-Z150
	Hardened steel 100 teeth-disc		5 cm	D-Z100
	Hardened steel 86 teeth-disc	Standard included	8 cm	D-Z86
	DAVISC 40 notched–Disc		20 cm	DA-Z40
1	RPM electronic counter of cutting disc			IE-RPM
	Plate for front tractor coupling	It will be supplied only if the corresponding form has been correctly filled out		PA-F
	Reinforced 3 Points linkage	Front 3P or reversible tractor		T3P-11
	Sharpening tool			M-A
	Sharpener disc replacement	For HSS disc and DAVISC disc		D-AA
	Disinfectant application kit		ludes 200L less steel tank	K-AD-5
		For 6 discs cutting bar		K-AD-6
Ũ	INOX 200 L additional tank for disinfectant kit	Possibility of adapting up to 2 units		KDD20
and the second second	Protective screen of the cutting bar	For 5 discs cutting bar	Unit	PAP-5D6
4	*Recommended with disinfection kit	For 6 discs cutting bar	Unit	PAP-6D6

0	DESCRIPTION	OBSERVATIONS	REF.
Contraction of the second seco	Disc protective screen	Unit	PD-D6
C C S	Storage Wheel Kit	For hydraulic power plant	KRCH
	Deckaging	Basic	EMB-1
	Packaging	Airfreight- oceanfreight	EMB-3



Inherent in our DNA

We use technology to create technology.

Our commitment to the digitization and versatility of our equipment has led to the creation of our exclusive ID PLUS system which allows the control of all ID machines through a simple Plug & Play Joystick.





INDUSTRIAS DAVID S.L.U.

C/ Médico Miguel Lucas s/n CP: 30510, Yecla, Murcia-Spain **Tel.:** +34 968 718 119 **info@id-david.com**









Connect with us.

instagram.com/iddavid_official twitter.com/IDdavidslu facebook.com/industriasdavid linkedin.com/company/id-david youtube.com/industriasdavid

www.id-david.com



